

Contents of Volume 6

COMMENTARY

Molecular astrology: the case of the Myb DNA binding domain

K.Murthy 129

PROTOCOLS

Expression of soluble recombinant glycoproteins with predefined glycosylation: application to the crystallization of the T-cell glycoprotein CD2

S.J.Davis, M.J.Puklavec, D.A.Ashford, K.Harlos, E.Y.Jones, D.I.Stuart and A.F.Williams 229

A strategy for optimizing charge reversal mutagenesis of ion pairs in hormone—receptor or enzyme—substrate complexes

R.Barnard 455

PROTEIN STRUCTURE AND ANALYSIS

A catalytically-impaired class A β -lactamase: 2 Å crystal structure and kinetics of the *Bacillus licheniformis* E166A mutant

J.R.Knox, P.C.Moews, W.A.Escobar and A.L.Fink 11

Solution structure of human corticotropin releasing factor by ^1H NMR and distance geometry with restrained molecular dynamics

C.Romier, J.-M.Bernassau, C.Cambillau and H.Darbon 149

Engineering cysteine mutants to obtain crystallographic phases with a cutinase from *Fusarium solani pisi*

C.Martinez, P. de Geus, P.Stanssens, M.Lauwereys and C.Cambillau 157

The Greek key motif: extraction, classification and analysis

E.G.Hutchinson and J.M.Thornton 233

Atomic environments of arginine side chains in proteins

C.L.Nandi, J.Singh and J.M.Thornton 247

The sequence and X-ray structure of the trypsin from *Fusarium oxysporum*

W.R.Rypniewski, S.Hastrup, Ch.Betzel, M.Dauter, Z.Dauter, G.Papendorf, S.Branner and K.S.Wilson 341

X-ray structures of two single-residue mutants of DNase I: H134Q and Y76A

S.Weston and D.Suck 349

Substrate mobility in thiocamphor-bound cytochrome P450_{cam}: an explanation of the conflict between the observed product profile and the X-ray structure

M.D.Paulsen and R.L.Ornstein 359

Weak points of antiparallel β -sheets. How are they filled up in globular proteins?

A.V.Finkelstein and H.Nakamura 367

Defining topological equivalences in protein structures by means of a dynamic programming algorithm

Y.Luo, L.Lai, X.Xu and Y.Tang 373

The structure of a designed peptidomimetic inhibitor complex of α -thrombin

T.-P.Wu, V.Yee, A.Tulinsky, R.A.Chrusciel, H.Nakanishi, R.Shen, C.Priebe and M.Kahn 471

Identification and classification of protein fold families

C.A.Orengo, T.P.Flores, W.R.Taylor and J.M.Thornton 485

Determination of the structure of symmetric coiled-coil proteins from NMR data: application of the leucine zipper proteins Jun and GCN4

S.I.O'Donoghue, F.K.Junius and G.F.King 557

An NMR study on the DNA-binding SPKK motif and a model for its interaction with DNA

M.Suzuki, M.Gerstein and A.Johnson 565

Repeat of a helix-turn-helix module in DNA-binding proteins	K.Yura, S.Tomodo and M.Gō	621
Solution conformation of a synthetic bis-headed inhibitor of trypsin and carboxypeptidase A: new structural alignment between the squash inhibitors and the potato carboxypeptidase inhibitor	L.Chiche, A.Heitz, A.Padilla, D.Le-Nguyen and B.Castro	675
Regularities in interaction patterns of globular proteins	A.Godzik, J.Skolnick and A.Kolinski	801
PREDICTION OF PROTEIN STRUCTURE		
The prediction and characterization of metal binding sites in proteins	D.S.Gregory, A.C.R.Martin, J.C.Cheetham and A.R.Rees	29
ALSCRIPT: a tool to format multiple sequence alignments	G.J.Barton	37
Proposed structure for the DNA-binding domain of the Helix-Loop-Helix family of eukaryotic gene regulatory proteins	T.J.Gibson, J.D.Thompson and R.A.Abagyan	41
Design of a discriminating fingerprint for G-protein-coupled receptors	T.K.Attwood and J.B.C.Findlay	167
Secondary structure prediction for modelling by homology	P.E.Boscott, G.J.Barton and W.G.Richards	261
A new substitution matrix for protein sequence searches based on contact frequencies in protein structures	S.Miyazawa and R.L.Jernigan	267
Comparison of three algorithms for the assignment of secondary structure in proteins: the advantages of a consensus assignment	N.Colloc'h, C.Etchebest, E.Thoreau, B.Henrissat and J.-P.Mornon	377
The SBASE domain library: a collection of annotated protein segments	S.Pongor, V.Skerl, M.Cserző, Z.Hátsági, G.Simon and V.Bevillacqua	391
Protein fold refinement: building models from idealized folds using motif constraints and multiple sequence data	W.R.Taylor	593
Predicting the point at which transmembrane helices protrude from the bilayer: a model of the antenna complexes from photosynthetic bacteria	D.Donnely and R.J.Cogdell	629
Mix'n'Match: an improved multiple sequence alignment procedure for distantly related proteins using secondary structure predictions, designed to be independent of the choice of gap penalty and scoring matrix	L.H.Bell, J.R.Coggins and E.J.Milner-White	683
A study of structural determinants in the interleukin-1 fold	M.B.Swindells and J.M.Thornton	711
Matching chemistry and shape in molecular docking	B.K.Shoichet and I.D.Kuntz	723
A new approach to the design of stable proteins	E.I.Shakhnovich and A.M.Gutin	793
Development of pseudoenergy potentials for assessing protein 3-D-1-D compatibility and detecting weak homologies	K.Nishikawa and Y.Matsuo	811
Improved alignment of weakly homologous protein sequences using structural information	J.Gracy, L.Chiche and J.Sallantin	821
Secondary structure prediction of all-helical proteins in two states	B.Rost and C.Sander	831

Quantification of secondary structure prediction improvement using multiple alignments	J.M.Levin, S.Pascarella, P.Argos and J.Garnier	849
MOLECULAR MODELLING AND DYNAMICS		
Molecular dynamics simulation of winter flounder antifreeze protein variants in solution: correlation between side chain spacing and ice lattice	H.Jorgensen, M.Mori, H.Matsui, M.Kanaoka, H.Yanagi, Y.Yabusaki and Y.Kikuzono	19
Molecular modeling of coiled-coil α -tropomyosin: analysis of staggered and in register helix-helix interactions	D.Cregut, J.P.Liautard, F.Heitz and L.Chiche	51
Modeling of transmembrane seven helix bundles	P.Cronet, C.Sander and G.Vriend	59
Influenza virus M ₂ protein: a molecular modelling study of the ion channel	M.S.P.Sansom and I.D.Kerr	65
Modelling of the lignin peroxidase LIII of <i>Phlebia radiata</i> : use of a sequence template generated from a 3-D structure	A.-M.Hoffrén, M.Saloheimo, P.Thomas, J.P.Overington, M.S.Johnson, J.K.C.Knowles and T.L.Blundell	177
A computer vision based technique for 3-D sequence-independent structural comparison of proteins	O.Bachar, D.Fischer, R.Nussinov and H.Wolfson	279
Can the stability of protein mutants be predicted by free energy calculations?	Y.Shi, A.E.Mark, C.Wang, F.Huang, H.J.C.Berendsen and W.F.van Gunsteren	289
Structure prediction of subtilisin BPN' mutants using molecular dynamics methods	A.P.Heiner, H.J.C.Berendsen and W.F.van Gunsteren	397
An evaluation of the performance of an automated procedure for comparative modelling of protein tertiary structure	N.Srinivasan and T.L.Blundell	501
Homology model building of the thyroid transcription factor 1 homeodomain	F.Fogolari, G.Esposito, P.Viglino, G.Damante and A.Pastore	513
The nature of the ion binding interactions in EF-hand peptide analogs: free energy simulation of Asp to Asn mutations	B.Prod'hom and M.Karplus	585
Global folding of proteins using a limited number of distance constraints	M.J.Smith-Brown, D.Kominos and R.M.Levy	605
Protein modelling using a chimera reference protein derived from exons	A.Kajihara, H.Komooka, K.Kamiya and H.Umeyama	615
Molecular dynamics of the 5-HT _{1a} receptor and ligands	I.Sylte, Ø.Edvardsen and S.G.Dahl	691
Modeling the uncleaved serpin antichymotrypsin and its chymotrypsin complex	D.S.Katz and D.W.Christianson	701
The fuzzy-end elimination theorem: correctly implementing the side chain placement algorithm based on the dead-end elimination theorem	I.Lasters and J.Desmet	717
Improvement of turn structure prediction by molecular dynamics: a case study of α_1 -purothionin	U.Rao and M.M.Teeter	837
Model structures and action of interleukin 1 and its antagonist	T.J.Oldfield, P.Murray-Rust and R.E.Hubbard	865
Modelling multiple disulphide loop containing polypeptides by random conformation generation. The test cases of α -conotoxin GI and endothelin I	R.Sowdhamini, C.Ramakrishnan and P.Balaram	873

PROTEIN ENGINEERING

- Functional roles and subsite locations of Leu177, Trp178 and Asn182 of *Aspergillus awamori* glucoamylase determined by site-directed mutagenesis M.R.Sierks, C.Ford, P.J.Reilly and B.Svensson 75
- Comparative stability of dihydrofolate reductase mutants *in vitro* and *in vivo* V.V.Leontiev, V.N.Uversky and A.T.Gudkov 81
- Structural study of mutants of *Escherichia coli* ribonuclease HI with enhanced thermostability K.Ishikawa, S.Kimura, S.Kanaya, K.Morikawa and H.Nakamura 85
- Site-directed mutagenesis study on the roles of evolutionally conserved aspartic acid residues in human glutathione S-transferase P1-1 K.-H.Kong, H.Inoue and K.Takahashi 93
- Restructuring an interdomain linker in the dihydrolipoamide acetyltransferase component of the pyruvate dehydrogenase complex of *Escherichia coli* S.L.Turner, G.C.Russell, M.P.Williamson and J.R.Guest 101
- Stabilization of lysozyme by the introduction of Gly-Pro sequence T.Ueda, T.Tamura, Y.Maeda, Y.Hashimoto, T.Miki, H.Yamada and T.Imoto 183
- Site-directed mutagenesis of the putative active site residues of 3C proteinase of coxsackievirus B3: evidence of a functional relationship with trypsin-like serine proteinases K.Miyashita, M.Kusumi, R.Utsumi, S.Katayama, M.Noda, T.Komano and N.Satoh 189
- Characterization of the DNA binding domain of the mouse IRF-2 protein K.Uegaki, M.Shirakawa, T.Fujita, T.Taniguchi and Y.Kyogoku 195
- Lysines 72, 80 and 213 and aspartic acid 210 of the *Lactococcus lactis* LacR repressor are involved in the response to the inducer tagatose-6-phosphate leading to induction of *lac* operon expression R.J.van Rooijen, K.J.Decherling, C.Niek, J.Wilmink and W.M.de Vos 201
- Engineering cytochrome P-450_{cam} to increase the stereospecificity and coupling of aliphatic hydroxylation P.J.Loida and S.G.Sligar 207
- Effects of deletion in the flexible loop of the protease inhibitor SSI (*Streptomyces subtilisin inhibitor*) on interactions with proteases S.Kojima, S.Furukubo, I.Kumagai and K.Miura 297
- Site-directed and deletion mutational analysis of the receptor binding domain of the interleukin-6 receptor targeted fusion toxin DAB₃₈₉-IL-6 L.-F.L.Jean, C.A.Waters, D.Keemy and J.R.Murphy 305
- Structure and functional complementation of engineered fragments from yeast phosphoglycerate kinase F.Pecorari, P.Minard, M.Desmadril and J.M.Yon 313
- Recursive ensemble mutagenesis S.Delagrave, E.R.Goldman and D.C.Youvan 327
- Altering substrate preference of carboxypeptidase Y by a novel strategy of mutagenesis eliminating wild type background K.Olesen and M.C.Kielland-Brandt 409
- Involvement of various amino- and carboxyl-terminal residues in the active site of the histidine-containing protein HPr of the phosphoenolpyruvate-dependent phosphotransferase system of *Staphylococcus carnosus*: site-directed mutagenesis with the *ptsH* gene, biochemical characterization and NMR studies of the mutant proteins R.Kruse, W.Hengstenberg, W.Beneicke and H.P.Kalbitzer 417

Mutagenesis and kinetic analysis of the active site Glu177 of ricin A-chain	J.A.Chaddock and L.M.Roberts	425
An EGF-pseudomonas exotoxin A recombinant protein with a deletion in toxin binding domain specifically kills EGF receptor bearing cells	C.-H.Lee, E.-C.Lee, S.-T.Tsai, H.-J.Kung, Y.-C.Liu and J.Hwang	433
Mutational analysis of the interaction between staphylococcal protein A and human IgG ₁	L.Cedergren, R.Andersson, B.Jansson, M.Uhlén and B.Nilsson	441
Introduction of disulfide bonds into <i>Bacillus subtilis</i> neutral protease	B.van den Burg, B.W.Dijkstra, B.van der Vinne, B.K.Stulp, V.G.H.Eijsink and G.Venema	521
Making tissue-type plasminogen activator more fibrin specific	N.F.Paoni, A.M.Chow, L.C.Peña, B.A.Keyt, M.J.Zoller and W.F.Bennett	529
Structure—function analysis of human IL-1 α : identification of residues required for binding to the human type I IL-1 receptor	E.Labriola-Tompkins, C.Chandran, T.A.Varnell, V.S.Madison and G.Ju	535
Production and characterization of an analog of acidic fibroblast growth factor with enhanced stability and biological activity	T.Arakawa, T.P.Horan, L.O.Narhi, D.C.Rees, S.G.Schiffer, P.L.Holst, S.J.Prestrelski, L.B.Tsai and G.M.Fox	541
<i>Pseudomonas glumae</i> lipase: increased proteolytic stability by protein engineering	L.G.J.Frenken, M.R.Egmond, A.M.Batenburg and C.T.Verrips	637
Stability effects associated with the introduction of a partial and a complete Ca ²⁺ -binding site into human lysozyme	P.Haezebrouck, A.De Baetselier, M.Joniau, H.Van Dael, S.Rosenberg and I.Hanssens	643
The role of asparagine-32 in forming the receptor-binding epitope of human epidermal growth factor	S.R.Campion, C.Biamonti, G.T.Montelione and S.K.Niyogi	651
Molecular modeling and site-directed mutagenesis of an anti-phosphotyrosine antibody predicts the combining site and allows the detection of higher affinity interactions	S.Ruff-Jamison and J.R.Glenney Jr	661
Breakdown in the relationship between thermal and thermodynamic stability in an interleukin-1 β point mutant modified in a surface loop	B.A.Chrunyk and R.Wetzel	733
Trp59 to Tyr substitution enhances the catalytic activity of RNase T1 and of the Tyr to Trp variants in positions 24, 42 and 45	H.-P.Grunert, O.Landt, M.Zirpel-Giesebrecht, J.Backmann, U.Heinemann, W.Saenger and U.Hahn	739
Strong inhibition of fibrinogen binding to platelet receptor $\alpha_{IIb}\beta_3$ by RGD sequences installed into a presentation scaffold	G.Lee, W.Chan, M.R.Hurle, R.L.DesJarlais, F.Watson, G.M.Sathe and R.Wetzel	745
Overproduction of bovine β -casein in <i>Escherichia coli</i> and engineering of its main chymosin cleavage site	G.Simons, W.van den Heuvel, T.Reynen, A.Frijters, G.Rutten, C.J.Slangen, M.Groenen, W.M.de Vos and R.J.Siezen	763
Expression of deletion constructs of bovine β -1,4-galactosyltransferase in <i>Escherichia coli</i> : importance of Cys134 for its activity	E.E.Boeggeman, P.V.Balaji, N.Sethi, A.S.Masibay and P.K.Qasba	779
Analysis of RNA phage <i>fr</i> coat protein assembly by insertion, deletion and substitution mutagenesis	P.Pushko, T.Kozlovskaya, I.Sominskaya, A.Brede, E.Stankevica, V.Ose, P.Pumpens and E.Grens	883
Replacing the ($\beta\alpha$)-unit 8 of <i>E.coli</i> TIM with its chicken homologue leads to a stable and active hybrid enzyme	V.Mainfroid, K.Goraj, F.Rentier-Delrue, A.Houbrechts, A.Loiseau, A.-C.Gohimont, M.E.M.Noble, T.V.Borchert, R.K.Wierenga and J.A.Martial	893

Identification by site-directed mutagenesis of amino acids in the B2 subsite of bovine pancreatic ribonuclease A	A.Tarragona-Fiol, H.J.Eggelte, S.Harbron, E.Sanchez, C.J.Taylorson, J.M.Ward and B.R.Rabin	901
Zinc ions bound to chimeric His4/lactate dehydrogenase facilitate decarboxylation of oxaloacetate	H.Carlsson, V.Prachayasittikul and L.Bülow	907
6-Phospho- β -galactosidases of Gram-positive and 6-phospho- β -glucosidase B of Gram-negative bacteria: comparison of structure and function by kinetic and immunological methods and mutagenesis of the <i>lacG</i> gene of <i>Staphylococcus aureus</i>	E.Witt, R.Frank and W.Hengstenberg	913
Identification of two amino acids contributing the high enzyme activity in the alkaline pH range of an alkaline endoglucanase from a <i>Bacillus</i> sp.	J.-S.Park, J.Hitomi, S.Horinouchi and T.Beppu	921
Engineering of the substrate-binding region of the subtilisin-like cell-envelope proteinase of <i>Lactococcus lactis</i>	R.J.Siezen, P.G.Bruinenberg, P.Vos, I.van Alen-Boerrigter, M.Nijhuis, A.C.Altig, F.A.Exterkate and W.M.de Vos	927
Cassette mutagenesis of <i>Aspergillus awamori</i> glucoamylase near its general residue to probe its catalytic and pH properties	U.Bakir, P.M.Coutinho, P.A.Sullivan, C.Ford and P.J.Reilly	939
Properties conferred on <i>Clostridium thermocellum</i> endoglucanase CelC by grafting the duplicated segment of endoglucanase CelD	K.Tokatlidis, P.Dhurjati and P.Béguin	947
Structural analysis of the CD2 T lymphocyte antigen by site-directed mutagenesis to introduce a disulphide bond into domain 1	F.Gray, J.G.Cyster, A.C.Willis, A.N.Barclay and A.F.Williams	965
Humanization of a mouse anti-human IgE antibody: a potential therapeutic for IgE-mediated allergies	F.Kolbinger, J.Saldanha, N.Hardman and M.M.Bendig	971
CLONING AND EXPRESSION		
Overproduction and purification of the regulatory subunit of <i>Escherichia coli</i> aspartate transcarbamoylase	N.J.Dembowski and E.R.Kantrowitz	123
Expression of functional papain precursor in <i>Saccharomyces cerevisiae</i> : rapid screening of mutants	T.Vernet, J.Chatellier, D.C.Tessier and D.Y.Thomas	213
Overexpression and purification of avian ovomucoid third domains in <i>Escherichia coli</i>	A.P.Hinck, W.F.Walkenhorst, W.M.Westler, S.Choe and J.L.Markley	221
Expression of catalytically active hamster dihydroorotase domain in <i>Escherichia coli</i> : purification and characterization	N.K.Williams, Y.Peide, K.K.Seymour, G.B.Ralston and R.I.Christopherson	333
Lipid-tagged antibodies: bacterial expression and characterization of a lipoprotein-single-chain antibody fusion protein	M.-L.Laukkanen, T.T.Teeri and K.Keinänen	449
Efficient production of recombinant human factor VIII by co-expression of the heavy and light chains	H.Yonemura, K.Sugawara, K.Nakashima, Y.Nakahara, T.Hamamoto, I.Mimaki, K.Yokomizo, Y.Tajima, K.Masuda, A.Imaizumi, A.Funatsu and J.Miyazaki	669
Construction of multiple copy of α -domain gene fragment of human liver metallothionein I _A in tandem arrays and its expression in transgenic tobacco plants	A.Pan, F.Tie, M.Yang, J.Luo, Z.Wang, X.Ding, L.Li, Z.Chen and B.Ru	755

Expression of the catalytic subunit of cAMP-dependent protein kinase in <i>Escherichia coli</i> : multiple isozymes reflect different phosphorylation states	F.W.Herberg, S.M.Bell and S.S.Taylor	771
Production and properties of a factor X-cellulose-binding domain fusion protein	Z.Assouline, H.Shen, D.G.Kilburn and R.A.J.Warren	787
The expression of bovine microsomal cytochrome <i>b₅</i> in <i>Escherichia coli</i> and a study of the solution structure and stability of variant proteins	R.Hewson, R.J.Newbold and D.Whitford	953
Cloning, sequencing and expression of the Fab fragment of a monoclonal antibody to the herbicide atrazine	V.K.Ward, P.G.Schneider, S.B.Kreissig, B.D.Hammock and P.V.Choudary	981
An improved linker for single-chain Fv with reduced aggregation and enhanced proteolytic stability	M.Whitlow, B.A.Bell, S.-L.Feng, D.Filpula, K.D.Hardman, S.L.Hubert, M.L.Rollence, J.F.Wood, M.E.Schott, D.E.Milenic, T.Yokota and J.Schlom	989
PHYSICOCHEMICAL STUDIES OF PROTEINS		
Evaluation of secondary structure of proteins from UV circular dichroism spectra using an unsupervised learning neural network	M.A.Andrade, P.Chacón, J.J.Merelo and F.Morán	383
Theoretical examination of the mechanism of aldose-ketose isomerization	Y.-J.Zheng, K.M.Merz Jr and G.K.Farber	479
Substrate-induced activation of dienelactone hydrolase: an enzyme with a naturally occurring Cys-His-Asp triad	E.Cheah, C.Austin, G.W.Ashley and D.Ollis	575
Theoretical studies of <i>Rhizomucor miehei</i> lipase activation	M.Norin, O.Olsen, A.Svendsen, O.Edholm and K.Hult	855
SYNTHETIC GENES AND PROTEINS		
The random peptide library-assisted engineering of a C-terminal affinity peptide, useful for the detection and purification of a functional Ig Fv fragment	T.G.M.Schmidt and A.Skerra	109
Artificial protein vaccines with predetermined tertiary structure: application to anti-HIV-1 vaccine design	A.M.Eroshkin, P.A.Zhilkin, V.V.Shamin, S.Korolev and B.B.Fedorov	997
REVIEWS		
Unraveling the mechanism of protein folding: new tricks for an old problem	J.T.J.Lecomte and C.R.Matthews	1
Computer modelling of enzyme catalysed reaction mechanisms	A.J.Mulholland, G.H.Grant and W.G.Richards	133
Topological and stereochemical restrictions in β -sandwich protein structures	D.N.Woolfson, P.A.Evans, E.G.Hutchinson and J.M.Thornton	461
LETTERS		
Letter to the Editor		547
Letter from the Editors		555